SEAMLESS, AUTONOMOUS INTRODUCTION OF NEW GOODS AND SERVICES INTO A DYNAMIC INFORMATION ECONOMY

BACKGROUND OF THE INVENTION

1. Technical Field:

5   The present invention relates generally to methods of business and, more particularly, to methods of matching consumers with sellers in a non-centralized system.

2. Description of Related Art:

In an economy of independent autonomous or semi-autonomous software

10   agents, it is desirable to design the system such that any agent may at any time change the goods and services that it offers, either by adding new ones, modifying existing ones, or removing ones. New agents may come into being at any time, and may themselves offer new goods and services. Extant agents may cease to operate. The system needs to be able to adapt to all of these changes without requiring extensive

15   (or even better, any) human interaction.

In the prior art, solutions to bringing potential buyers and sellers together have been global or "systemic" solutions. There are centralized and distributed versions; predefined or self-organizing; and fixed or adaptive variations of these solutions. However, each solution assumes the existence of a common "registry" of what items

20   are available. The assumption is that an agent asks the "system" for a good or service, and the system returns a comprehensive list of all extant suppliers. Sometimes the system even selects a particular supplier for the customer. If the registry is stored by an agent, the registry agent holds a special place in the system (e.g., competing registries are not imagined). Typically, registries are organized according to trade or

industry type. This system, however, limits both buyers and sellers from discovering other potential trading partners since some potential trading partners may register with a registry serving an industry for which a buyer or seller may not think to look in locating a trading partner.

5   In a decentralized economy, there is no prescribed central or global registry containing a complete list or ontology of available goods and services. Therefore a system for new goods & services to be "registered", i.e., for information about them to be may available to potential buyers, which does not require such a registry would be desirable.

SUMMARY OF THE INVENTION

The present invention provides a method, system, apparatus, and computer program product for exchanging products in a non-centralized exchange system. All of the entities (matchmaker, vendor, consumer) are autonomous or semi-autonomous software agents. In one embodiment, a matchmaker agent registers with at least one of a plurality of directory services in the non-centralized exchange system. The matchmaker receives advertisements in a matchmaker determined informational format from a plurality of vendor agents. The plurality of vendor agents obtain the identity and contact information of the matchmaker from one of the directory services with which the matchmaker has registered. A consumer agent obtains the identity and the contact information for the matchmaker from one of the directory services with which the matchmaker has registered. The consumer agent chooses and receives a list of advertisements from the matchmaker for products that are of interest to the consumer agent. The consumer agent sends a request for a quote to one or more of the vendor agents corresponding to advertisements in the list of advertisements. The consumer agent then receives responses from one or more of the vendor agents to which a request for a quote was sent. From the responses, the consumer agent selects one vendor from which to complete a purchase of the product.

BRIEF DESCRIPTION OF THE DRAWINGS

The novel features believed characteristic of the invention are set forth in the appended claims. The invention itself, however, as well as a preferred mode of use, further objectives and advantages thereof, will best be understood by reference to the

5   following detailed description of an illustrative embodiment when read in conjunction with the accompanying drawings, wherein:

Figure 1 depicts a pictorial representation of a network of data processing systems in which the present invention may be implemented;

Figure 2 depicts a block diagram of a data processing system in accordance

10   with a preferred embodiment of the present invention;

Figure 3 depicts a block diagram illustrating a data processing system in which the present invention may be implemented;

Figure 4 depicts a block diagram illustrating a consumer-vendor matchmaking system in accordance with a preferred embodiment of the present

15   invention;

Figure 5 depicts a flowchart illustrating an exemplary consumer process for discovering a product or service from a vendor via matchmaking system in accordance with a preferred embodiment of the present invention;

Figure 6 depicts a flowchart illustrating an exemplary vendor process for

20   selling a product or service via matchmaking system in accordance with a preferred embodiment of the present invention; and

Figure 7 depicts a flowchart illustrating an exemplary matchmaker process for matching consumers with vendors in accordance with a preferred embodiment of the present invention.

YOR920000580US1

4

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

With reference now to the figures, **Figure 1** depicts a pictorial representation of a network of data processing systems in which the present invention may be implemented. Network data processing system **100** is a network of computers in which

5   the present invention may be implemented. Network data processing system **100** contains a network **102**, which is the medium used to provide communications links between various devices and computers connected together within network data processing system **100**. Network **102** may include connections, such as wire, wireless communication links, or fiber optic cables.

10   In the depicted example, a server **104** is connected to network **102** along with storage unit **106**. In addition, clients **108, 110**, and **112** also are connected to network **102**. These clients **108, 110**, and **112** may be, for example, personal computers or network computers. In the depicted example, server **104** provides data, such as boot files, operating system images, and applications to clients **108-112**. Clients **108, 110**,

15   and **112** are clients to server **104**. Network data processing system **100** may include additional servers, clients, and other devices not shown. In the depicted example, network data processing system **100** is the Internet with network **102** representing a worldwide collection of networks and gateways that use the TCP/IP suite of protocols to communicate with one another. At the heart of the Internet is a backbone of

20   high-speed data communication lines between major nodes or host computers, consisting of thousands of commercial, government, educational and other computer systems that route data and messages. Of course, network data processing system **100** also may be implemented as a number of different types of networks, such as for example, an intranet, a local area network (LAN), or a wide area network (WAN).

25   **Figure 1** is intended as an example, and not as an architectural limitation for the present invention.

YOR920000580US1

Referring to **Figure 2**, a block diagram of a data processing system that may be implemented as a server, such as server **104** in **Figure 1**, is depicted in accordance with a preferred embodiment of the present invention. Data processing system **200** may be a symmetric multiprocessor (SMP) system including a plurality of processors **202** and

5 **204** connected to system bus **206**. Alternatively, a single processor system may be employed. Also connected to system bus **206** is memory controller/cache **208**, which provides an interface to local memory **209**. I/O bus bridge **210** is connected to system bus **206** and provides an interface to I/O bus **212**. Memory controller/cache **208** and I/O bus bridge **210** may be integrated as depicted.

10 Peripheral component interconnect (PCI) bus bridge **214** connected to I/O bus **212** provides an interface to PCI local bus **216**. A number of modems may be connected to PCI bus **216**. Typical PCI bus implementations will support four PCI expansion slots or add-in connectors. Communications links to network computers **108-112** in **Figure 1** may be provided through modem **218** and network adapter **220**

15 connected to PCI local bus **216** through add-in boards.

Additional PCI bus bridges **222** and **224** provide interfaces for additional PCI buses **226** and **228**, from which additional modems or network adapters may be supported. In this manner, data processing system **200** allows connections to multiple network computers. A memory-mapped graphics adapter **230** and hard disk **232** may

20 also be connected to I/O bus **212** as depicted, either directly or indirectly.

Those of ordinary skill in the art will appreciate that the hardware depicted in **Figure 2** may vary. For example, other peripheral devices, such as optical disk drives and the like, also may be used in addition to or in place of the hardware depicted. The depicted example is not meant to imply architectural limitations with respect to the

25 present invention.

YOR920000580US1

6

The data processing system depicted in **Figure 2** may be, for example, an IBM RISC/System 6000 system, a product of International Business Machines Corporation in Armonk, New York, running the Advanced Interactive Executive (AIX) operating system.

5   With reference now to **Figure 3**, a block diagram illustrating a data processing system is depicted in which the present invention may be implemented. Data processing system **300** is an example of a client computer. Data processing system **300** employs a peripheral component interconnect (PCI) local bus architecture. Although the depicted example employs a PCI bus, other bus architectures such as Accelerated

10   Graphics Port (AGP) and Industry Standard Architecture (ISA) may be used. Processor **302** and main memory **304** are connected to PCI local bus **306** through PCI bridge **308**. PCI bridge **308** also may include an integrated memory controller and cache memory for processor **302**. Additional connections to PCI local bus **306** may be made through direct component interconnection or through add-in boards. In the

15   depicted example, local area network (LAN) adapter **310**, SCSI host bus adapter **312**, and expansion bus interface **314** are connected to PCI local bus **306** by direct component connection. In contrast, audio adapter **316**, graphics adapter **318**, and audio/video adapter **319** are connected to PCI local bus **306** by add-in boards inserted into expansion slots. Expansion bus interface **314** provides a connection for a

20   keyboard and mouse adapter **320**, modem **322**, and additional memory **324**. Small computer system interface (SCSI) host bus adapter **312** provides a connection for hard disk drive **326**, tape drive **328**, and CD-ROM drive **330**. Typical PCI local bus implementations will support three or four PCI expansion slots or add-in connectors.

An operating system runs on processor **302** and is used to coordinate and

25   provide control of various components within data processing system **300** in **Figure 3**. The operating system may be a commercially available operating system, such as Windows 2000, which is available from Microsoft Corporation. An object oriented

programming system such as Java may run in conjunction with the operating system and provide calls to the operating system from Java programs or applications executing on data processing system **300**. "Java" is a trademark of Sun Microsystems, Inc. Instructions for the operating system, the object-oriented operating system, and

5   applications or programs are located on storage devices, such as hard disk drive **326**, and may be loaded into main memory **304** for execution by processor **302.**

Those of ordinary skill in the art will appreciate that the hardware in **Figure 3** may vary depending on the implementation. Other internal hardware or peripheral devices, such as flash ROM (or equivalent nonvolatile memory) or optical disk drives

10   and the like, may be used in addition to or in place of the hardware depicted in **Figure 3**. Also, the processes of the present invention may be applied to a multiprocessor data processing system.

As another example, data processing system **300** may be a stand-alone system configured to be bootable without relying on some type of network communication

15   interface, whether or not data processing system **300** comprises some type of network communication interface. As a further example, data processing system **300** may be a Personal Digital Assistant (PDA) device, which is configured with ROM and/or flash ROM in order to provide non-volatile memory for storing operating system files and/or user-generated data.

20   The depicted example in **Figure 3** and above-described examples are not meant to imply architectural limitations. For example, data processing system **300** also may be a notebook computer or hand held computer in addition to taking the form of a PDA. Data processing system **300** also may be a kiosk or a Web appliance.

With reference now to **Figure 4**, a block diagram illustrating a

25   consumer-vendor matchmaking system is depicted in accordance with a preferred embodiment of the present invention. Matchmaking system **400** provides a method and system in which agents may unilaterally introduce new goods and services (or

YOR920000580US1

8

modifications), and potential customers may learn of them, without requiring a common centralized registry. The matchmaking system **400** also enables agents (both buyers and sellers) to discover a wider variety of trading partners because the matchmakers may register with registries that an agent would not otherwise find, but

5 that would be found by potential trading partners that would not otherwise find a registry that the agent would have registered with. Thus, the present invention matches agents (vendors) providing goods or services with agents (customers) desiring such goods or services. The system **400** of the present invention utilizes the following modules or agents (described as "roles"): consumers **412-418**, vendors

10 **420-424**, and matchmakers **408-410**, each interacting through network **402**. Network **402** may be implemented as, for example, network **102** in **Figure 1**, and each of consumers **412-418**, vendors **420-424**, and matchmakers **408-410** may be implemented as one of clients **108-112** or server **104** in **Figure 1**. A service matchmaker **408-410** may be a matchmaker for goods or services or both.

15 Furthermore, a given agent may take on any of the different roles, in any combination, at any time. For example, an agent might be a vendor of one set of services and a consumer of others, or an agent might be both matchmaker and vendor; or agents might change roles from time to time; etc. Also, a given vendor may offer any number of distinct goods & services, and may take out any number of ads with

20 any given matchmaker (e.g., it may take out a different ad for each of the services it offers, or it may take out a single ad identifying several services).

Consumers **412-418** purchase goods or services from other agents within the system **400**. Vendors **420-424** are agents that offer goods or services for purchase by other agents **412-418**. Matchmakers **408-410** are agents that assist vendors **420-424**

25 and consumers **412-418** in discovering and selecting each other, thus matching a consumer **412-418** with a vendor **420-424**. Each agent **408-424**, whether a matchmaker, vendor, or consumer as alluded to above, is a data processing system

YOR920000580US1

9

acting at the behest of a human "owner." The agent's interactions with its owner may take on any form or degree of autonomy -- i.e., the owner may preprogram the agent's routine actions such that the owner needs to interact with the agent often, seldom, or never. Each agent is operating within a network environment **402** that allows agents

5   **408-424** to send messages to each other, such as, for example, via http, TCP/IP, SOAP, etc. One agent **408-424** may initiate communication with another agent **408-424** if it has appropriate information about the other agent **408-424**, such as the other agent's "agent locator" which is analogous to an e-mail address, URL, or telephone number. This communication system is referred to as a "messaging

10   subsystem." Also, each agent **408-424** may obtain an agent locator for other agents **408-424** from an agent or service referred to as a "directory service" **404-406** analogous to a telephone directory.

With reference now to **Figure 5**, a flowchart illustrating an exemplary consumer process for discovering a product or service from a vendor via

15   matchmaking system **400** is depicted in accordance with a preferred embodiment of the present invention. A consumer agent, such as consumer **418** in **Figure 4**, desiring to purchase services through a matchmaking system first selects one or more matchmakers (step **502**). The matchmaker listings could be obtained, for example, from one or more directory services, such as, for example, directory services **404** or

20   **406** in **Figure 4**, either every time a matchmaker is selected or from time to time as appropriate. If the matchmaker requires a subscription, the consumer agent decides whether to subscribe and manages the subscription process from start to finish.

The consumer agent then optionally obtains from the matchmaker information on what goods/services are available for purchase from vendors (step **504**). This may

25   be done by searching, browsing, or downloading the matchmaker's category information (i.e. the matchmaker's ontology of goods and services) along with information about categories for which the matchmaker has listings, if category

YOR920000580US1

10

information is available; by specifying keyword search terms; or by specifying other criteria for selecting goods and services. The consumer agent may optionally present an interface to its owner for searching, browsing, or otherwise obtaining this information, or it may obtain the information without recourse to owner input by, for example, executing instructions previously specified.

After obtaining information about available goods and service, the consumer agent then specifies selection criteria that will be used by the matchmaker in determining which vendor listings to offer to the consumer (step **506**). This specification might include specification of goods and services from the matchmaker's category information, if available, such as category names, keyword search terms or other search criteria. It may also include keyword search terms or other search criteria to be applied to vendor listings themselves. The consumer agent may optionally present its owner with an interface for specifying these selection criteria. Alternatively, the consumer agent may make choices as to the selection criteria without resort to presenting the user with options. This may be performed, for example, using options previously selected by a user thus minimizing any human owner's interaction in the process.

The consumer agent then optionally obtains summary information or extracts other information about vendor listings that match the specified selection criteria (step **508**). This information, provided by the matchmaker, may consist of extracts of vendors' listings, summary information such as the number of vendor listings matching the search criteria, fees for obtaining the matching vendor listings, or other information. However, in the case where the matchmaker is charging a fee for providing vendor information to consumers, it will not contain agent locators or other information that would permit the consumer agent to immediately contact vendors. The consumer agent optionally presents this information to its owner.

Once the consumer agent has received the information about vendor listings, it

determines whether to revise the selection criteria originally specified in step **506** or continue with the transaction (step **510**). It optionally does this by presenting an interface to its owner, or makes the determination autonomously based on criteria previously specified, such as, for example, a threshold in the desired number or total

5   cost of vendor listings reported as matching the selection criteria. If the determination is made to revise the selection criteria, the consumer agent returns to step **504**. If the determination is made not to revise the selection criteria, then the it continues to step **512**.

The consumer agent then chooses, from among the vendor listings matching

10   the selection criteria, a set of vendor listings to purchase (step **512**). This may be done by presenting a selection interface to the owner, or may be done autonomously based on criteria previously specified, such as, for example, a threshold in the desired number or total cost of vendor listings to purchase. The consumer agent then sends a purchase order for the selected vendor listings (step **514**). Once the listings of

15   vendors are obtained, the consumer optionally selects one or more vendors from the listings and sends each a "request for quote" (RFQ), and gathers vendor responses (step **516**). The consumer agent or owner then selects a vendor and a request for service is sent to that vendor by the consumer (step **518**). The consumer then manages the consumer side of the purchase process from start to finish.

20   With reference now to **Figure 6**, a flowchart illustrating an exemplary vendor process for selling a product or service via matchmaking system **400** is depicted in accordance with a preferred embodiment of the present invention. To begin, a vendor, such as vendor **422** in **Figure 4**, places advertisements with one or more matchmakers (step **602**). The matchmaker listings to which the vendor places

25   advertisements could be located, for example, using a directory service or services, such as, directory services **404-406** in **Figure 4**. The number and identity of the matchmakers used could be determined by the vendor based on cost, matchmaker

properties (e.g., the service ontology it uses, its reputation, the number of consumers that use the matchmaker service, etc.), and other factors. The contents of the advertisements are determined both by the matchmaker's required advertisement format and the information the vendor wishes to advertise. It is important that the

5   vendor identify which services it offers.

Once the advertisement has been placed, the vendor waits for requests for quotes to be received from consumers (step **604**). When a request for a quote has been received, the vendor decides whether to provide the service or good to the consumer (step **606**). Optionally, this may involve negotiation or be based on how

10   busy the vendor is, or characteristics of the consumer, such as reputation or previous experience. If the decision is made not to provide the service or good to the consumer, then the vendor sends the consumer a response declining to provide the good or service (step **616**). If the vendor decides to offer to provide the good or service to the consumer, then a response is sent to the consumer with (e.g.) price

15   and/or other details of the offer (step **608**). The vendor then awaits a response from the consumer. Once the response is received, the vendor determines whether the consumer has agreed to or declined to purchase the service or good offered (step **610**). If the consumer declines to purchase, then the process ends. However, if the consumer agrees to purchase the offered service or good for the terms indicated by the

20   vendor, then the vendor fulfills the request from the consumer (step **612**) and gathers payment from the consumer (step **614**).

Although described in terms of a fixed fee, one of ordinary skill in the art will recognize that other fee arrangements may be used as well. For example, the vendor agent and consumer agent may negotiate the fees or the fee may be based on

25   characteristics of the consumer, such as, for example, the consumer's reputation. The vendor and consumer may carry on any sort of negotiation prior to the consumer making the selection of a vendor. Furthermore, the details of the payment may take

on any form, such as, for example, pay in advance, pay afterward, or pay-as-you-go.

With reference now to **Figure 7**, a flowchart illustrating an exemplary matchmaker process for matching consumers with vendors is depicted in accordance with a preferred embodiment of the present invention. Service matchmakers, such as

5 matchmaker **408** in **Figure 4**, act in many ways like an automated online classified ad paper. Each service matchmaker defines its own terms and conditions, both for placing advertisements and for searching listings (step **702**). For example, some service matchmakers may use a subscription model, some may be fee-per-use, and some may be free. Furthermore, the fee may be obtained from the vendors, from the

10 consumers, or from both. Fees and other terms & conditions for both vendors and consumers may also be negotiable on an individual basis, or may change from time to time. Each service matchmaker defines its own ontology of goods and services and its own vendor listing format. Also, rather than having a predefined (e.g. human-crafted) ontology, each matchmaker may permit vendors to propose items.

15 The service matchmaker may also incorporate advanced searches, data mining technologies, or other "intelligence" to provide better service to consumers. Matchmakers may also choose to specialize in some particular industry, crafting their vendor listing to suit that industry.

Once a service matchmaker has defined the general terms and conditions of

20 use, the matchmaker lists itself with one or more directory services (step **704**), such as, for example, directory service **404** in **Figure 4**. The matchmaker's listing with the directory service may contain information on how vendors and customers can communicate with it, its general terms and conditions, etc. The exact fee or other terms and conditions not previously specified in step **702** may be negotiated

25 separately for each vendor or listing (step **705**). The service matchmaker then receives and carries vendor advertisements (step **706**). The matchmaker may receive the vendor advertisements, for example, through XML messages via http, electronic

mail (e-mail) or through an on-line form on a Internet web page filled out by the vendor. The vendor advertisements may be carried, for example, for a fee, for a limited time, or both. The terms to the vendor may also include a combination fee schedule requiring a subscription plus a fee for each advertisement, limiting the

5   consumer's access to the advertisement, and how prominently to feature the advertisement (e.g., when sending the advertisement to a consumer, placing the advertisement first in the list of advertisements). The vendor advertisement must carry information sufficient to permit a consumer agent to contact the vendor (e.g. Its agent locator or its name or other key for lookup in the directory service).

10   Matchmakers may also place additional restrictions on vendor advertisements, such as, for example, requiring the vendors to identify their offering(s) in the matchmaker's ontology of services or goods and restricting the number and/or type of services offered. Matchmakers may also permit advertisements to carry free-form information.

15   Once vendor advertisements have been received, upon request from a consumer agent, the matchmaker provides the consumer agent with information about the available services (step **710**). This information may be made available to any agent for free or for a per use fee or only to subscribers. This information may be provided to the consumer agent, for example, by making searches available, allowing

20   browsing of categories, or providing the list for download.

         Also upon request, the matchmaker provides consumer agents with information about vendor listings matching specified search criteria, such as, for example category names, keyword search terms for goods and services, or keyword search terms to apply to other portions of vendor listings (step **709**). This information

25   may consist of extracts of vendors' listings, summary information such as the number of vendor listings matching the search criteria, or other information. However, in the case where the matchmaker is charging a fee for providing vendor information to

YOR920000580US1

15

consumers, it should not contain agent locators or other information that would permit the consumer agent to immediately contact vendors.

Also upon request, the matchmaker provides consumer agents with a set of vendor listings (step **708**). This set of vendor listings may be provided for free to any consumer agent, for a per use fee to any consumer agent, or only to subscribing consumers, thus requiring non-subscribing consumers to subscribe before providing the list. Alternatively, the matchmaker may provide partial information about the ads for free, and charge for the remainder of it; for example, it may require payment before releasing the vendors' agent locators. Other variations allow consumers access to lists via subscription plus a usage fee. Alternatively, the matchmaker may charge the vendor whose listing is provided. Other fee schedules may be utilized as well. The consumer may specify the selection criteria for desired vendor listings after receiving information about available services as provided in step **710** or, if the selection criteria are already known, select the vendor listings without the aid of the information provided in step **710**. Matchmakers may provide subsets of the listings in a category or matching a search criterion, for example, for a reduced fee. Subscriptions may follow any subscription model such as, for example, flat fee, usage based, or multi-tiered.

The consumer may search the received listings by category, by name, or by other fields before selecting a vendor or vendors from which to request a quote. The listing format may include service or goods description information plus other interoperability information such as, for example, preferred or supported interaction protocols and payment methods.

Although the present invention has been described primarily in terms of fixed fees and a minimum of negotiations between agents, the present invention is not limited to such cases. For example, each of the different categories of agents may conduct negotiations with other agents as to fee and other conditions and terms

YOR920000580US1

related to use of the matchmaker service or to the sale or purchase of goods or services. These negotiations may be performed by each agent with a minimum or no human owner interaction. The agent may use conditions, terms, prices previously specified by its human owner to conduct the negotiation process. Thus, for example,

5 a human owner of a consumer agent may specify an initial bid to offer for a specific type of item. This initial bid may be a variable initial bid that depends on the condition of the product offered for sale or other terms associated with the product. The consumer agent may then adjust the offer price up to a maximum price depending on the responses received from the vendor agent. Thus, if the vendor agent accepts

10 the initial bid price, the consumer agent would not need to offer more money, thereby saving the human owner of the consumer agent some money. Other variations and options will be apparent to one of ordinary skill in the art.

It is important to note that while the present invention has been described in the context of a fully functioning data processing system, those of ordinary skill in the

15 art will appreciate that the processes of the present invention are capable of being distributed in the form of a computer readable medium of instructions and a variety of forms and that the present invention applies equally regardless of the particular type of signal bearing media actually used to carry out the distribution. Examples of computer readable media include recordable-type media such a floppy disc, a hard

20 disk drive, a RAM, and CD-ROMs and transmission-type media such as digital and analog communications links.

The description of the present invention has been presented for purposes of illustration and description, but is not intended to be exhaustive or limited to the invention in the form disclosed. Many modifications and variations will be apparent

25 to those of ordinary skill in the art. The embodiment was chosen and described in order to best explain the principles of the invention, the practical application, and to

enable others of ordinary skill in the art to understand the invention for various embodiments with various modifications as are suited to the particular use contemplated.

YOR920000580US1